



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

*Reports of States and yearly and monthly reports of cities.*

CALIFORNIA—*Los Angeles*.—Month of June, 1897. Estimated population, 103,000. Total deaths, 132, including phthisis pulmonalis, 19; enteric fever, 4; diphtheria and membranous croup, 6, and whooping cough, 1.

*Oakland*.—Month of June, 1897. Estimated population, 60,000. Total deaths, 61, including phthisis pulmonalis, 10, and whooping cough, 1.

*Sacramento*.—Month of June, 1897. Estimated population, 30,000. Total deaths, 35, including phthisis pulmonalis, 3; enteric fever, 1, and diphtheria, 1.

*San Francisco*.—Month of June, 1897. Estimated population, 360,000. Total deaths, 486, including phthisis pulmonalis, 42; enteric fever, 4; scarlet fever, 1; diphtheria, 6, and whooping cough, 2.

COLORADO—*Denver*.—Month of June, 1897. Estimated population, 160,000. Total deaths, 128, including phthisis pulmonalis, 29; measles, 1, and whooping cough, 1.

CONNECTICUT.—Month of June, 1897. Reports to the State board of health from 165 towns, having an aggregate population of 878,992, show a total of 978 deaths, including phthisis pulmonalis, 99; enteric fever, 2; measles, 14; diphtheria and croup, 32; scarlet fever, 3, and whooping cough, 4.

*Westport*.—Month of June, 1897. Estimated population, 4,000. Total deaths, 4. No deaths from contagious diseases.

ILLINOIS—*Chicago*.—Month of June, 1897. Estimated population, 1,750,000. Total deaths, 1,620, including phthisis pulmonalis, 179; enteric fever, 23; scarlet fever, 2; diphtheria, 66; measles, 17, and whooping cough, 9.

LOUISIANA—*Shreveport*.—Month of June, 1897. Estimated population, 15,000. Total deaths, 33, including phthisis pulmonalis, 4, and enteric fever, 2.

MAINE—*Portland*.—Four weeks ended July 10, 1897. Estimated population, 41,500. Total deaths, 40, including phthisis pulmonalis, 4; enteric fever, 2; measles, 1, and diphtheria, 2.

MARYLAND—*Baltimore*.—Month of June, 1897. Estimated population, white, 431,054; colored, 75,344; total, 506,398. Deaths, white, 634; colored, 191; total, 825, including phthisis pulmonalis, 72; enteric fever, 8; scarlet fever, 2; diphtheria, 17; measles, 3, and whooping cough, 9.

*Cumberland*.—Month of May, 1897. Estimated population, 12,729. Total deaths, 12. No deaths from contagious diseases.

Month of June, 1897. Total deaths, 9. No deaths from contagious diseases.

MASSACHUSETTS—*Fitchburg*.—Month of June, 1897. Estimated population, 28,392. Total deaths, 38, including phthisis pulmonalis, 3; enteric fever, 1, and diphtheria, 1.

*North Attleboro.*—Month of June, 1897. Estimated population, 6,727. Total deaths, 6, including 1 from phthisis pulmonalis.

*Worcester.*—Month of June, 1897. Estimated population, 103,086. Total deaths, 118, including phthisis pulmonalis, 17; enteric fever, 2; scarlet fever, 2, and diphtheria, 1.

MICHIGAN.—Week ended July 10, 1897. Reports to the State board of health, Lansing, from 62 observers, indicate that cholera morbus, inflammation of bowels, and remittent fever increased in area of prevalence. Phthisis pulmonalis was reported present during the week at 188 places, measles at 55, diphtheria at 26, scarlet fever at 24, enteric fever at 10, and whooping cough at 12 places.

MINNESOTA—*Minneapolis.*—Month of June, 1897. Estimated population, 225,602. Total deaths, 139, including phthisis pulmonalis, 20; enteric fever, 14; scarlet fever, 1, and diphtheria, 1.

*St. Paul.*—Month of June, 1897. Estimated population, 215,582. Total deaths, 95, including phthisis pulmonalis, 12; enteric fever, 1, and diphtheria and membranous croup, 4.

NEW HAMPSHIRE—*Manchester.*—Month of June, 1897. Estimated population, 60,000. Total deaths, 80, including phthisis pulmonalis, 8; diphtheria and membranous croup, 2, and whooping cough, 1.

NEW YORK—*Buffalo.*—Month of June, 1897. Estimated population, 350,000. Total deaths, 314, including phthisis pulmonalis, 34; enteric fever, 5; scarlet fever, 2; diphtheria and membranous croup, 11; croup, 1; measles, 2, and whooping cough, 8.

OHIO—*Cleveland.*—Month of June, 1897. Estimated population, 350,000. Total deaths, 342, including phthisis pulmonalis, 17; enteric fever, 3; scarlet fever, 1; diphtheria and membranous croup, 5, and measles, 2.

*Columbus.*—Month of June, 1897. Estimated population, 100,000. Total deaths, 102, including phthisis pulmonalis, 12; enteric fever, 1, and scarlet fever, 1.

*Toledo.*—Month of June, 1897. Estimated population, 137,780. Total deaths, 136, including phthisis pulmonalis, 12; enteric fever, 1; scarlet fever, 1; diphtheria, 2, and smallpox, 1.

PENNSYLVANIA—*Pottsville.*—Two weeks ended July 15, 1897. Estimated population, 14,000. Total deaths, 16. No deaths reported from contagious diseases.

VIRGINIA—*Petersburg.*—Month of June, 1897. Estimated population—white, 12,000; colored, 13,000—total, 25,000. Deaths—white, 20; colored, 35—total, 55, including 2 from phthisis pulmonalis.

WASHINGTON—*Seattle.*—Month of June, 1897. Estimated population, 60,000. Total deaths, 35, including phthisis pulmonalis, 6, and enteric fever, 2.

WISCONSIN—*Superior.*—Month of June, 1897. Estimated population, 40,549. Total deaths, 17, including 2 from phthisis pulmonalis.